

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** AROMA PROFESSIONAL
zawieszka zapachowa fresh linen
- Other means of identification:**
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses: Air freshener
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
MTM INDUSTRIES Sp.z o.o.
Ul. Metalowców 6
62-800 Kalisz - Wielkopolskie - Polska
Phone: +48 62 767 33 21 - Fax: +48 62 767 33 79
info@mtm-industries.eu
www.mtm-industries.eu
- 1.4 Emergency telephone number:** Tel.: +48 62 767 33 21, available only during working hours (8h -17h) from monday to friday.
112, available outside working hours.

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Hazard statements:
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements:
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P501: Dispose of contents/container according to the separated collection system used in your municipality.
Supplementary information:
EUH208: Contains 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, 2-methylundecanal, 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one, 4-tert-butylcyclohexyl acetate, Benzyl salicylate, Citronellol, Isoeugenol, Linalool, Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Reaction mass of isopentyl salicylate and 2-methylbutyl salicylate. May produce an allergic reaction.
- 2.3 Other hazards:**
Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**
Non-applicable
- 3.2 Mixture:**
Chemical description: Mixture composed of chemical products
Components:
In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

| Identification | Chemical name/Classification | Concentration |
|---|---|---------------|
| CAS: 64742-48-9 EC: 920-901-0 Index: Non-applicable REACH: 01-2119456810-40-XXXX | Alkanes, C11-15-iso⁽¹⁾ Self-classified Regulation 1272/2008 Asp. Tox. 1: H304; EUH066 - Danger | 1 - <2,5 % |
| CAS: 18479-58-8 EC: 242-362-4 Index: Non-applicable REACH: 01-2119457274-37-XXXX | 2,6-dimethyloct-7-en-2-ol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning | 1 - <2,5 % |
| CAS: 140-11-4 EC: 205-399-7 Index: Non-applicable REACH: 01-2119638272-42-XXXX | Benzyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412 | 1 - <2,5 % |
| CAS: 32210-23-4 EC: 250-954-9 Index: Non-applicable REACH: 01-2119976286-24-XXXX | 4-tert-butylcyclohexyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 118-58-1 EC: 204-262-9 Index: Non-applicable REACH: 01-2119969442-31-XXXX | Benzyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23-XXXX | Citronellol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 127-51-5 EC: 204-846-3 Index: Non-applicable REACH: 01-2119471851-35-XXXX | 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 81782-77-6 EC: 279-815-0 Index: Non-applicable REACH: 01-2119983528-21-XXXX | 4-methyl-3-decen-5-ol⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning | <1 % |
| CAS: 110-41-8 EC: 203-765-0 Index: Non-applicable REACH: 01-2119969443-29-XXXX | 2-methylundecanal⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: Non-applicable EC: 911-280-7 Index: Non-applicable REACH: 01-2119969444-27-XXXX | Reaction mass of 2-methylbutyl salicylate and pentyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning | <1 % |
| CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX | Linalool⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: Non-applicable EC: 943-728-2 Index: Non-applicable REACH: 01-2119982384-28-XXXX | Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 101-84-8 EC: 202-981-2 Index: Non-applicable REACH: 01-2119472545-33-XXXX | Diphenyl ether⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning | <1 % |
| CAS: Non-applicable EC: 904-908-6 Index: Non-applicable REACH: 01-2120809315-60-XXXX | Reaction mass of isopentyl salicylate and 2-methylbutyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Skin Sens. 1B: H317 - Warning | <1 % |
| CAS: 57378-68-4 EC: 260-709-8 Index: Non-applicable REACH: 01-2119535122-53-XXXX | 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Warning | <1 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

| Identification | Chemical name/Classification | Concentration |
|--|---|-----------------------------------|
| CAS: 97-54-1 EC: 202-590-7 Index: Non-applicable REACH: 01-2120223682-61- xxxx | Isoeugenol⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1A: H317; STOT SE 3: H335 - Warning | Self-classified <1 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | | Occupational exposure limits | | |
|---|--|------------------------------|-------|----------------------|
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | | IOELV (8h) | 1 ppm | 7 mg/m ³ |
| | | IOELV (STEL) | 2 ppm | 14 mg/m ³ |

Nuisance dust: Inhalable dust 10 mg/m³ // Respirable dust 4 mg/m³

DNEL (Workers):

| Identification | | Short exposure | | Long exposure | |
|---|------------|--------------------------|--------------------------|-------------------------|-------------------------|
| | | Systemic | Local | Systemic | Local |
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 20,8 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 73,5 mg/m ³ | Non-applicable |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 2,5 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 9 mg/m ³ | Non-applicable |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 2,21 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 7,8 mg/m ³ | Non-applicable |
| Citronellol CAS: 106-22-9 EC: 203-375-0 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 327,4 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | 10 mg/m ³ | 161,6 mg/m ³ | 10 mg/m ³ |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | 10 mg/kg | Non-applicable | 10 mg/kg | Non-applicable |
| | Inhalation | 35,26 mg/m ³ | 88,16 mg/m ³ | 98,7 mg/m ³ | 88,16 mg/m ³ |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | 100 mg/kg | Non-applicable | 10,46 mg/kg | Non-applicable |
| | Inhalation | 352,63 mg/m ³ | 881,58 mg/m ³ | 36,89 mg/m ³ | 92,21 mg/m ³ |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1,69 mg/kg | Non-applicable |
| | Inhalation | 141,05 mg/m ³ | Non-applicable | 5,97 mg/m ³ | Non-applicable |
| Linalool CAS: 78-70-6 EC: 201-134-4 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | 5 mg/kg | Non-applicable | 2,5 mg/kg | Non-applicable |
| | Inhalation | 16,5 mg/m ³ | Non-applicable | 2,8 mg/m ³ | Non-applicable |
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 25 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | 14 mg/m ³ | 59 mg/m ³ | 7 mg/m ³ |

DNEL (General population):

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------|----------------------|------------------------|----------------------|
| | | Systemic | Local | Systemic | Local |
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | Oral | Non-applicable | Non-applicable | 12,5 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 12,5 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 21,7 mg/m ³ | Non-applicable |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Oral | Non-applicable | Non-applicable | 1,3 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1,3 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 2,2 mg/m ³ | Non-applicable |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | Oral | Non-applicable | Non-applicable | 0,79 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0,79 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 1,37 mg/m ³ | Non-applicable |
| Citronellol CAS: 106-22-9 EC: 203-375-0 | Oral | Non-applicable | Non-applicable | 13,8 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 196,4 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | 10 mg/m ³ | 47,8 mg/m ³ | 10 mg/m ³ |

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | Short exposure | | Long exposure | |
|---|------------|-------------------------|--------------------------|-------------------------|-------------------------|
| | | Systemic | Local | Systemic | Local |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | Oral | 5 mg/kg | Non-applicable | 10 mg/kg | Non-applicable |
| | Dermal | 5 mg/kg | Non-applicable | 0,0893 mg/kg | Non-applicable |
| | Inhalation | 8,7 mg/m ³ | 21,74 mg/m ³ | 14,38 mg/m ³ | 21,74 mg/m ³ |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | Oral | 25 mg/kg | Non-applicable | 5,23 mg/kg | Non-applicable |
| | Dermal | 50 mg/kg | Non-applicable | 5,23 mg/kg | Non-applicable |
| | Inhalation | 86,96 mg/m ³ | 217,39 mg/m ³ | 9,1 mg/m ³ | 22,74 mg/m ³ |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | Oral | 20 mg/kg | Non-applicable | 0,605 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0,605 mg/kg | Non-applicable |
| | Inhalation | 34,78 mg/m ³ | Non-applicable | 1,05 mg/m ³ | Non-applicable |
| Linalool CAS: 78-70-6 EC: 201-134-4 | Oral | 1,2 mg/kg | Non-applicable | 0,2 mg/kg | Non-applicable |
| | Dermal | 2,5 mg/kg | Non-applicable | 1,25 mg/kg | Non-applicable |
| | Inhalation | 4,1 mg/m ³ | Non-applicable | 0,7 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|---|--------------|----------------|-------------------------|---------------|
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | STP | 10 mg/L | Fresh water | 0,0278 mg/L |
| | Soil | 0,103 mg/kg | Marine water | 0,00278 mg/L |
| | Intermittent | 0,278 mg/L | Sediment (Fresh water) | 0,594 mg/kg |
| | Oral | 0,111 g/kg | Sediment (Marine water) | 0,059 mg/kg |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | STP | 8,55 mg/L | Fresh water | 0,018 mg/L |
| | Soil | 0,094 mg/kg | Marine water | 0,002 mg/L |
| | Intermittent | 0,04 mg/L | Sediment (Fresh water) | 0,526 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,053 mg/kg |
| 4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9 | STP | 12,2 mg/L | Fresh water | 0,0053 mg/L |
| | Soil | 0,42 mg/kg | Marine water | 0,00053 mg/L |
| | Intermittent | 0,053 mg/L | Sediment (Fresh water) | 2,01 mg/kg |
| | Oral | 0,06667 g/kg | Sediment (Marine water) | 0,21 mg/kg |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | STP | 10 mg/L | Fresh water | 0,001 mg/L |
| | Soil | 1,41 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0,01 mg/L | Sediment (Fresh water) | 0,583 mg/kg |
| | Oral | 0,0527 g/kg | Sediment (Marine water) | 0,058 mg/kg |
| Citronellol CAS: 106-22-9 EC: 203-375-0 | STP | 580 mg/L | Fresh water | 0,002 mg/L |
| | Soil | 0,004 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0,024 mg/L | Sediment (Fresh water) | 0,026 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,003 mg/kg |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | STP | 10 mg/L | Fresh water | 0,00076 mg/L |
| | Soil | 0,018 mg/kg | Marine water | 0,000076 mg/L |
| | Intermittent | 0,004 mg/L | Sediment (Fresh water) | 0,092 mg/kg |
| | Oral | 0,1111 g/kg | Sediment (Marine water) | 0,0092 mg/kg |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | STP | 10 mg/L | Fresh water | 0,00066 mg/L |
| | Soil | 0,0526 mg/kg | Marine water | 0,000066 mg/L |
| | Intermittent | 0,0018 mg/L | Sediment (Fresh water) | 0,265 mg/kg |
| | Oral | 0,116 g/kg | Sediment (Marine water) | 0,0265 mg/kg |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | STP | 10 mg/L | Fresh water | 0,00244 mg/L |
| | Soil | 5,33 mg/kg | Marine water | 0,000244 mg/L |
| | Intermittent | 0,0077 mg/L | Sediment (Fresh water) | 1,23 mg/kg |
| | Oral | 0,04033 g/kg | Sediment (Marine water) | 0,123 mg/kg |
| Linalool CAS: 78-70-6 EC: 201-134-4 | STP | 10 mg/L | Fresh water | 0,2 mg/L |
| | Soil | 0,327 mg/kg | Marine water | 0,02 mg/L |
| | Intermittent | 2 mg/L | Sediment (Fresh water) | 2,22 mg/kg |
| | Oral | 0,0078 g/kg | Sediment (Marine water) | 0,222 mg/kg |

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | | | |
|--|--------------|----------------|-------------------------|-------------|
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | STP | 10 mg/L | Fresh water | 0 mg/L |
| | Soil | 0,018 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0,005 mg/L | Sediment (Fresh water) | 0,093 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,009 mg/kg |

8.2 Exposure controls:



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---------------------------------------|---|--------------|--|
|  Mandatory hand protection | Protective gloves against minor risks |  | | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



D.- Ocular and facial protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---|---|---------------------------------|---|
|  Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|---|-------------------|---|
| | Work clothing |  | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007 |

F.- Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|--|--|
|  Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 |  Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

| | |
|--------------------------|-------------------------------------|
| V.O.C. (Supply): | 3,18 % weight |
| V.O.C. density at 20 °C: | 34,37 kg/m ³ (34,37 g/L) |

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| | |
|---------------------------|--------------|
| Average carbon number: | 9,95 |
| Average molecular weight: | 158,14 g/mol |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

| | |
|--------------------------|------------------|
| Physical state at 20 °C: | Solid |
| Appearance: | Characteristic |
| Colour: | Characteristic |
| Odour: | Aromatic |
| Odour threshold: | Non-applicable * |

Volatility:

| | |
|--|------------------|
| Boiling point at atmospheric pressure: | Non-applicable * |
| Vapour pressure at 20 °C: | Non-applicable * |
| Vapour pressure at 50 °C: | Non-applicable * |
| Evaporation rate at 20 °C: | Non-applicable * |

Product description:

| | |
|--|--------------------------|
| Density at 20 °C: | 1080,9 kg/m ³ |
| Relative density at 20 °C: | 1,081 |
| Dynamic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 40 °C: | Non-applicable * |
| Concentration: | Non-applicable * |
| pH: | ≈7 |
| Vapour density at 20 °C: | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C: | Non-applicable * |
| Solubility properties: | Insoluble in water |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |

Flammability:

| | |
|----------------------------|------------------|
| Flash Point: | Non-applicable |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature: | 235 °C |
| Lower flammability limit: | Non-applicable * |
| Upper flammability limit: | Non-applicable * |

Explosive:

| | |
|------------------------|------------------|
| Lower explosive limit: | Non-applicable * |
| Upper explosive limit: | Non-applicable * |

Particle characteristics:

| | |
|-----------------------------|------------------|
| Median equivalent diameter: | Non-applicable * |
|-----------------------------|------------------|

9.2 Other information:

Information with regard to physical hazard classes:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | |
|--|------------------|
| Explosive properties: | Non-applicable * |
| Oxidising properties: | Non-applicable * |
| Corrosive to metals: | Non-applicable * |
| Heat of combustion: | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |
| Other safety characteristics: | |
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index: | Non-applicable * |

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
IARC: Benzyl acetate (3); Eugenol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|--|-----------------|----------------|--------|
| | LD50 oral | LD50 dermal | |
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | LD50 oral | 3600 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | >20 mg/L (4 h) | |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | LD50 oral | 2490 mg/kg | Rat |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | >20 mg/L (4 h) | |
| Alkanes, C11-15-iso- CAS: 64742-48-9 EC: 920-901-0 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| 4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9 | LD50 oral | 3370 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | LD50 oral | 2200 mg/kg | Rat |
| | LD50 dermal | 14150 mg/kg | Rabbit |
| | LC50 inhalation | >5 mg/L | |
| Citronellol CAS: 106-22-9 EC: 203-375-0 | LD50 oral | 3450 mg/kg | Rat |
| | LD50 dermal | 2650 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen
SECTION 11: TOXICOLOGICAL INFORMATION (continued)

| Identification | Acute toxicity | | Genus |
|--|-----------------|----------------|--------|
| | Route | Toxicity | |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | LD50 oral | 8000 mg/kg | Rat |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | LD50 oral | 5100 mg/kg | Rat |
| | LD50 dermal | 8300 mg/kg | Rabbit |
| | LC50 inhalation | >20 mg/L | |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | LD50 oral | 2000 mg/kg | Rat |
| | LD50 dermal | 14150 mg/kg | Rabbit |
| | LC50 inhalation | >20 mg/L | |
| Linalool CAS: 78-70-6 EC: 201-134-4 | LD50 oral | 3000 mg/kg | Rat |
| | LD50 dermal | 5610 mg/kg | Rabbit |
| | LC50 inhalation | >20 mg/L | |
| Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde CAS: Non-applicable EC: 943-728-2 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | LD50 oral | 5500 mg/kg | Rat |
| | LD50 dermal | 7940 mg/kg | Rabbit |
| | LC50 inhalation | >5 mg/L | |
| Reaction mass of isopentyl salicylate and 2-methylbutyl salicylate CAS: Non-applicable EC: 904-908-6 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one CAS: 57378-68-4 EC: 260-709-8 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| Isoeugenol CAS: 97-54-1 EC: 202-590-7 | LD50 oral | >2000 mg/kg | |
| | LD50 dermal | >2000 mg/kg | |
| | LC50 inhalation | Non-applicable | |

Acute Toxicity Estimate (ATE mix):

| ATE mix | | Ingredient(s) of unknown toxicity |
|------------|------------------------------------|-----------------------------------|
| Oral | >2000 mg/kg (Calculation method) | Non-applicable |
| Dermal | >2000 mg/kg (Calculation method) | Non-applicable |
| Inhalation | >5 mg/L (4 h) (Calculation method) | Non-applicable |

SECTION 12: ECOLOGICAL INFORMATION

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 12: ECOLOGICAL INFORMATION (continued)

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|--|---------------|------------------|---------------------------------|------------|
| | LC50 | EC50 | | |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | LC50 | Non-applicable | | |
| | EC50 | 17 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 110 mg/L (72 h) | Desmodesmus subspicatus | Algae |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | LC50 | 1.03 mg/L (96 h) | Brachydanio rerio | Fish |
| | EC50 | 1.2 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 1.3 mg/L (72 h) | Selenastrum capricornutum | Algae |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3 | LC50 | >1 - 10 (96 h) | | Fish |
| | EC50 | >1 - 10 (48 h) | | Crustacean |
| | EC50 | >1 - 10 (72 h) | | Algae |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | LC50 | 3 mg/L (96 h) | Pimephales promelas | Fish |
| | EC50 | 0.4 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 1.4 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | LC50 | 0.35 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| | EC50 | 0.21 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 0.11 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | LC50 | 1.3 mg/L (96 h) | Danio rerio | Fish |
| | EC50 | 0.88 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 0.77 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde CAS: Non-applicable EC: 943-728-2 | LC50 | >1 - 10 (96 h) | | Fish |
| | EC50 | >1 - 10 (48 h) | | Crustacean |
| | EC50 | >1 - 10 (72 h) | | Algae |
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | LC50 | >0.1 - 1 (96 h) | | Fish |
| | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| | EC50 | >0.1 - 1 (72 h) | | Algae |
| Reaction mass of isopentyl salicylate and 2-methylbutyl salicylate CAS: Non-applicable EC: 904-908-6 | LC50 | >0.1 - 1 (96 h) | | Fish |
| | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| | EC50 | >0.1 - 1 (72 h) | | Algae |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one CAS: 57378-68-4 EC: 260-709-8 | LC50 | >0.1 - 1 (96 h) | | Fish |
| | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| | EC50 | >0.1 - 1 (72 h) | | Algae |

Chronic toxicity:

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Concentration | | Species | Genus |
|--|---------------|----------------|-----------------|------------|
| | NOEC | Non-applicable | | |
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | NOEC | Non-applicable | Daphnia magna | Crustacean |
| | NOEC | 9.5 mg/L | | |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | NOEC | 0.92 mg/L | Oryzias latipes | Fish |
| | NOEC | Non-applicable | | |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | NOEC | Non-applicable | Daphnia magna | Crustacean |
| | NOEC | 0.025 mg/L | | |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | NOEC | Non-applicable | Daphnia magna | Crustacean |
| | NOEC | 0.033 mg/L | | |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | NOEC | Non-applicable | Daphnia magna | Crustacean |
| | NOEC | 0.079 mg/L | | |

12.2 Persistence and degradability:

| Identification | Degradability | | Biodegradability | |
|---|---------------|----------------|------------------|----------|
| | BOD5 | Non-applicable | Concentration | 10 mg/L |
| 2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 72 % |
| | BOD5 | Non-applicable | Concentration | 10 mg/L |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 100 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 93 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 73 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 68 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 86 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |
| Linalool CAS: 78-70-6 EC: 201-134-4 | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 90 % |
| | BOD5 | Non-applicable | Concentration | 100 mg/L |

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Degradability | | Biodegradability | |
|----------------|--|----------------|------------------|---------------|
| | Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | BOD5 | Non-applicable | Concentration |
| | COD | Non-applicable | Period | 20 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 76 % |

12.3 Bioaccumulative potential:

| Identification | Bioaccumulation potential | |
|---|--|-----------|
| | Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | BCF |
| | Pow Log | 1.96 |
| | Potential | Low |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | BCF | 311 |
| | Pow Log | 4 |
| | Potential | High |
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | BCF | 412 |
| | Pow Log | 3.9 |
| | Potential | High |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | BCF | |
| | Pow Log | 5 |
| | Potential | |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | BCF | 1136 |
| | Pow Log | 4.4 |
| | Potential | Very High |
| Linalool CAS: 78-70-6 EC: 201-134-4 | BCF | 39 |
| | Pow Log | 2.97 |
| | Potential | Moderate |
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | BCF | 196 |
| | Pow Log | 4.21 |
| | Potential | High |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|---|--|----------------------|----------------|----------------|
| | Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Koc | Non-applicable | Henry |
| | Conclusion | Non-applicable | Dry soil | Non-applicable |
| | Surface tension | 3,558E-2 N/m (25 °C) | Moist soil | Non-applicable |
| Benzyl salicylate CAS: 118-58-1 EC: 204-262-9 | Koc | 5600 | Henry | Non-applicable |
| | Conclusion | Immobile | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Absorption/desorption | | Volatility | |
|---|-----------------------|-------------------------|------------|----------------|
| 4-methyl-3-decen-5-ol CAS: 81782-77-6 EC: 279-815-0 | Koc | 1175 | Henry | Non-applicable |
| | Conclusion | Low | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |
| 2-methylundecanal CAS: 110-41-8 EC: 203-765-0 | Koc | 4000 | Henry | Non-applicable |
| | Conclusion | Low | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate CAS: Non-applicable EC: 911-280-7 | Koc | 5000 | Henry | Non-applicable |
| | Conclusion | Immobile | Dry soil | Non-applicable |
| | Surface tension | 7,2E-2 N/m (19 °C) | Moist soil | Non-applicable |
| Diphenyl ether CAS: 101-84-8 EC: 202-981-2 | Koc | 1960 | Henry | Non-applicable |
| | Conclusion | Low | Dry soil | Non-applicable |
| | Surface tension | 1,753E-2 N/m (258,4 °C) | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

- CONTINUED ON NEXT PAGE -

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 15: REGULATORY INFORMATION (continued)

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Aquatic Chronic 3: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations and acronyms:

AROMA PROFESSIONAL
zawieszka zapachowa fresh linen

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -